

GENERAL ORDERS

No. 34

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 27 May 1969

	Section
GENERAL COURTS-MARTIAL—Authority to convene—Commanding Officer, United States Army Support Command Saigon, and Commanding Officer, United States Army Support Command Qui Nhon.....	I
UNITED STATES ARMY TRIPLER GENERAL HOSPITAL, MOANALUA, HAWAII—Redesignated.....	II
NEW CUMBERLAND ARMY CHEMICAL PLANT—Discontinued.....	III
PHOSPHATE DEVELOPMENT WORKS—Placed in an inactive status.....	IV

I. GENERAL COURTS-MARTIAL. The Commanding Officer, United States Army Support Command Saigon, and the Commanding Officer, United States Army Support Command Qui Nhon, are designated by the Secretary of the Army, pursuant to the Uniform Code of Military Justice, Article 22(a) (6), to convene general courts-martial effective 1 June 1969.

II. UNITED STATES ARMY TRIPLER GENERAL HOSPITAL, MOANALUA, HAWAII. Effective 1 May 1969, the Army installation known as United States Army Tripler General Hospital is redesignated as Tripler Army Medical Center. Concurrently, the Tripler Army Medical Center is redesignated as the United States Army Tripler General Hospital and is designated as an activity at Tripler Army Medical Center, Moanalua, Hawaii, a permanent Army installation.

III. NEW CUMBERLAND ARMY CHEMICAL PLANT. Effective 1 January 1969, the New Cumberland Army Chemical Plant, New Cumberland, Pennsylvania, a class II inactive installation under the jurisdiction of the Commanding General, United States Army Materiel Command, is discontinued.

IV. PHOSPHATE DEVELOPMENT WORKS. Effective 1 January 1969, the Phosphate Development Works, Muscle Shoals, Alabama, a class II industrial installation under the jurisdiction of the Commanding General, United States Army Materiel Command, is placed in an inactive status.

By Order of the Secretary of the Army:

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Distribution:

To be distributed in accordance with DA Form 12-4 requirements.